



Pakistan Petroleum Limited

00:16 Pakistan Time

Date & Time Of Print: 12/04/2022 00:16:38 - Time Zone: Pakistan Time
Buyer Organisation: Pakistan Petroleum Limited

OVERVIEW

Code rfq_21156
Title Tender No. PD/P&SF/PT/21156/22 – Supply of repair kits, miscellaneous spares
Description
Status Running

RFQ SETTINGS

Online Response Required: Yes
Event Currency: PKR
Allow Bidding Group Response: No
Publication: 07/04/2022 15:00:23
Closing: 25/04/2022 11:00:00
Time Limit for Expressing Interest: 25/04/2022 11:00:00
Awarding Strategy: Best Price

ATTACHMENTS

Path	Description	Folder Size		
root (5)		21,889 KB		
Filename	Downloadable	Last Modification Date	Description	File Size
Guidlines for Visitors.pdf	Yes	22/03/2022		18,958 KB
Instructions TCs For Procurement Of Materials.pdf	Yes	22/03/2022		393 KB
Instructions TCs For Procurement Of Services.pdf	Yes	22/03/2022		662 KB
Supplier User Guide – Responding to Online Tenders_1.pdf	Yes	22/03/2022		1,220 KB
Supplier User Guide – Using the Messaging Tool_1.pdf	Yes	22/03/2022		658 KB

ENVELOPES

Qualification Envelope: No
Technical Envelope: Yes
Commercial Envelope: Yes

TECHNICAL ENVELOPE

General Attachments
Allowed

QUESTIONS RELATED TO ITEM SPECIFICATIONS:

Question Description
NOTE Below is the list of required items. Respond if you are quoting for same specs or a variant.
Question Description Question Type

0010171652-99-00010Material Number: 08-54-43297

Option List

KIT:
TYPE: REPAIR
APPLICATION: YZV 4004 (SLug Catcher Liquid Drain V/V)

TEXT:Complete Repair Kit for 6" Actuated Ball Valve YZV-4004 (Slug Catcher Liquid Drain Line

Repair Kit Should include all the O-Rings, Seat Rings, Back Rings, Seat Washers, Springs, Gaskets etc.

Details of Valve:
Size: DN 150
Class: PN 100
Figure: G600-PN-71-224JMV-5
Serial No of Valve: 860815-1
Face to Face: 559
MOP 13.8 Bar @ 180 C & 102 Bar @ -29 C
Body: A 105N
Ball / Stem: F51 / F51
Seats: MTFE
API 6D
ISO 14313
MAKE: NELES-JAMESBURY

0010178060-99-00010Material Number: 08-54-43929

Option List

PLUG,VALVE:
VALVE STYLE: Globe Valve
VALVE SIZE: 03
MATERIAL: AISI 316L+ALLOY 6
OPERATING TEMPERATURE: 260C
APPLICATION: FCV-9111

TEXT:Plug SET ID Code: MA0239587
Part No: 002

Parent Equipment Part No:
GB03FWAS1BS1AFCS1R3ASGGSDXAE1A
Id Code: MA0239591

MANUFACTURER DETAILS:
MFG: METSO NELES:GB03FWAS1BS1AFCS1R3ASGGSDXAE1A

0010178060-99-00020Material Number: 08-54-43930

Option List

RING:
TYPE: Seat (Part 007)
SIZE: 03
MATERIAL: AISI 316L+ALLOY 6
APPLICATION: FCV-9111

TEXT:Seat Ring ID Code: MA0239588
Part No: 007

Parent Equipment Part No:
GB03FWAS1BS1AFCS1R3ASGGSDXAE1A
Id Code: MA0239591

MANUFACTURER DETAILS:
MFG: METSO NELES:GB03FWAS1BS1AFCS1R3ASGGSDXAE1A

0010178060-99-00030	Material Number: 08-54-43931 SET: TYPE: Part# 063, 064, 065, 067, 069 APPLICATION: FCV-9111 TEXT:Set Contains: Seat Gasket ID Code: MA0139105 Seal Ring Id Code: MA0147459 Body gasket id Code: MA0139253 Packing Spacer id Code: MA0139099 Packing Ring id Code: MA0142062 Part No: 063, 064, 065, 067, 069 Parent Equipment Part No: GB03FWAS1BS1AFCS1R3ASGGSDXAE1A Id Code: MA0239591 MANUFACTURER DETAILS: MFG: METSO NELES:GB03FWAS1BS1AFCS1R3ASGGSDXAE1A	Option List
0010178060-99-00040	Material Number: 08-54-43330 GLAND: TYPE: ID-Code: MA0139082 MATERIAL: AISI 304 APPLICATION: SPARE PART OF PCV-2016A TEXT:Gland Part: 009A ID-Code: MA0139082 Material: AISI 304 For Control Valve PCV-2016A S/N: GB04GWAJ2BT6ATCS1R6ASGGSGXAEFM Manufacturer: METSU NELES MANUFACTURER DETAILS: MFG: METSO NELES:ID-Code: MA0139082	Option List
0010182121-99-00030	Material Number: 08-99-28178 RING: TYPE: SEAT TEXT:Seat ring, P/N: 2B5097X0012 for LCV- 2041 Parts for Control Valve Type D Size 1 ", Port Size; 1/4", S/N: 17052010	Option List
0010168612-99-00010	Material Number: 08-99-28186 PIN: TYPE: STEM APPLICATION: FOR CONTROL VALVE 6" X900 TEXT:Stem Pin Part No: 1A-S-1160 for Control Valve 6" x900 Model: 1523h8L	Option List
0010180296-99-00010	Material Number: 10-01-322 KIT: TYPE: REPAIR MANUFACTURER DETAILS: MFG: BAKER EASTERN S.A:P/N: 08-00359-00	Option List

0010180298-99-00010	<p>Material Number: 10-01-324</p> <p>KIT: TYPE: REPAIR APPLICATION: SURFACE SAFETY VALVE</p> <p>TEXT:PARENTAL EQUIPMENT DETAILS: SURFACE SAFETY VALVE</p> <p>MANUFACTURER DETAILS: MFG: UNKNOWN:P/N: 08-00366-00</p>	Option List
0010167195-99-00010	<p>Material Number: 10-02-14618</p> <p>CONVERTER: TYPE: DC - DC CONVERTER RATING: 50 WATT APPLICATION: SCADA WELL# 20,21 Spares</p> <p>TEXT:DC-DC CONVERTER, 2 4 VDC TO 12 VDC, INPUT: 24 VDC, OUTPUT: 12 VDC, RATING: 50 WATT, PART NO: VI-LC 11-EY COMPAC SERIES MAKE: VICOR</p>	Option List
0010181272-99-00010	<p>Material Number: 08-49-050</p> <p>KIT: TYPE: BODY SEAL APPLICATION: PNEUMATIC ACTUATOR</p> <p>TEXT:PARENT EQUIPMENT DETAILS: SPARES FOR PNEUMATIC ACTUATOR FOR 2" BALL VALVE MODEL: CP/S-045-140C/C DESIGN OPERATING PRESSURE: 80 PSI MAXIMUM SAFE PRESSURE: 150 PSI TAG NUMBER: ESDV-10000</p> <p>MANUFACTURER DETAILS: MFG: ROTORK:P/N: WCB35</p>	Option List
0010171772-99-00010	<p>Material Number: 10-01-404</p> <p>SWITCH,PRESSURE: ELECTRICAL RATING: 24VDC 5A SIZE/CONNECTION: 1/4" NPT RANGE: 9-35 PSI,600 PSI MWP,1000 PSI PROOF ACTION: SPDT ENCLOSURE: NEMA 4X,EP EXD CLASS: CLASS I GROUP C & D,CLASS II GROUP E ,F,G</p> <p>TEXT:UL LISTED AND CSA CERTIFIED TEMPERATURE:AMB. -50 ----- +95 DEGREE C MANUFACTURER DETAILS: MFG: UNITED ELECTRIC CONTROL, INC:M/N: 12SHSN6A MFG: UNITED ELECTRIC CONTROL, INC:M/N: 12 SERIES</p>	Option List
0010162756-99-00010	<p>Material Number: 10-02-033</p> <p>BATTERY,STORAGE: TYPE: LEAD ACID VOLTAGE: NOM 2 AMP HOURS: 853 APPLICATION: PV</p> <p>TEXT:SEALED, 853 AH @ C144, C/W: CONNECTORS,</p> <p>MANUFACTURER DETAILS: MFG: VARTA:M/N: 60PZV600 MFG: SIEMENS AG, GERMANY:*</p>	Option List

0010179045-99-00010	<p>Material Number: 10-02-33730</p> <p>CONVERTER: TYPE: DC to DC Converter APPLICATION: For Nodal Compressor PLC Panel</p> <p>TEXT:Industrial Quality DC/DC Converter 500W, 48-24 VDC / 20A Input Protection: Inrush current limiting, Varistor, Reverse polarity protection, Internal safety fuse, Lower voltage. Line/Load Regulation: ± 1% combined from zero load to full load Part Number: BAP 319-48/24F4TS-EN-T1965 Make: ABSOPULSE Electronics Ltd</p>	Option List
0010180760-99-00010	<p>Material Number: 08-54-265</p> <p>KIT: TYPE: REPAIR/SPARE PART APPLICATION: SHUTDOWN VALVE ACTUATOR CONTAINS A: O-RING POSITION NO. 16 ID CODE: 2626, O-RING POSITION NO. 17 ID CODE: 230107 CONTAINS B: O-RING POSITION NO. 19 ID CODE: 4413, BEARING STRIP POSITION NO. 23 ID CODE: 230110 CONTAINS C: BEARING STRIP POSITION NO. 22 ID CODE: 230111, PISTON RING POSITION NO. 24 ID CODE: 3844 CONTAINS D: O-RING POSITION NO. 18 ID CODE: 4413 CONTAINS E: BEARING POSITION NO. 20 ID CODE: 198190 CONTAINS F: BEARING POSITION NO. 21 ID CODE: 198200</p> <p>TEXT:ITEM REF NO. 16, SET PARENT EQUIPMENT DETAILS: FOR ACTUATOR FOR SHUTDOWN VALVE YZV - 4023 MAKE: METSO NELES,TYPE: B1CU 40/105,ID: 379384-105,MAX. PRESSURE: 10 / 140 PSI ISO 5211 , SPARE FOR SHUTDOWN VALVES</p> <p>MANUFACTURER DETAILS: MFG: METSO NELES:P/N: 250509</p>	Option List
0010184897-99-00010	<p>Material Number: 10-01-191</p> <p>CAP: TYPE: HYDRAULIC APPLICATION: PUMP</p> <p>TEXT:PARENT EQUIPMENT DETAILS: SPARES FOR BAKER CAC SURFACE SAFETY CONTROL EQPT.FOR HASKEL PUMP P/N. MS-71</p> <p>MANUFACTURER DETAILS: MFG: BAKER:P/N: 28530-71</p>	Option List
0010159615-99-00010	<p>Material Number: 10-01-546</p> <p>SPRING,VALVE: APPLICATION: PNEUMATIC CONTROL VALVE</p> <p>TEXT:SPARES FOR PNEUMATIC CONTROL VALVE (PIPED VENT PORTED) MANUFACTURER DETAILS: MFG: PNEUHYDRO:P/N: 433613-V</p>	Option List
0010181372-99-00010	<p>Material Number: 10-01-278</p> <p>Regulator, Part NO.R05-200-RNLA.</p>	Option List
0010180561-99-00010	<p>Material Number: 10-01-491</p> <p>O-RING: MATERIAL: VITON APPLICATION: BAKER PNEUMATIC ACTUATOR</p> <p>MANUFACTURER DETAILS: MFG: UNKNOWN:P/N: 592980-007</p>	Option List

0010178948-99-00010	Material Number: 08-33-222 ASSEMBLY: TYPE: BODY AND SEAT BUSHING;PART LIST SR.NO. 1&2: P/No 70 13 34395 SIZE: SIZE; 80/100 ANSI 300/150 RF FLANGED SPRING SEATTING: 33 BAR,STEAM DRUM SAFETY VALVE,TYPE: 1811-M/ AFIMATR 77806/95,FOR B OILER NO. 14/15	Option List
0010178719-99-00010	Material Number: 10-01-988 MODEM: TYPE: INTEGRATED WIRELESS POWER: 12VDC TEXT:REMOTE RADIO FOR 150-174 MHZ VHF BAND COMPLETE MANUFACTURER DETAILS: MFG: UNKNOWN:P/N: 242-4018-630	Option List
0010171870-99-00010	Material Number: 10-01-970 MODEM:INTEGRATED WIRELESS,MASTER RADIO 150-174MHZ VHF BONET,COMPLETE W/ AC/DC POWER SUPPLY & DC/DC CONVERTER MANUFACTURER DETAILS: MFG: UNKNOWN:P/N: PCE 984258C	Option List
0010165595-99-00010	Material Number: 10-02-33727 BREAKER,CIRCUIT: TYPE: MCB IEC/IEEE STANDARDS: For Nodal Compressor PLC Panel TEXT:Multi 9 C60H-DC MCD 2P D Curve 20A 500VDC-10KA Part Number: M9U31220	Option List

MANDATORY REQUIREMENTS

Question	Description	Question Type
Technical Literature/ Brochures	Please provide Technical Literature/ Brochures/ supporting documents alongwith technical bid	Attachment
Understanding and Compliance	Supplier to confirm complete understanding and compliance of the Specification being asked for material	Yes/No Value
MTC	Supplier to submit all relevant certificates including MTCs at the time of delivery.	Yes/No Value

IMPORTANT NOTE/ INSTRUCTION TO BIDDER

Question	Description	Question Type
Bid/ Price Validity	The bid must be valid for a period of at least 90 Days from the last date of submission of bids. No price escalation will be permitted for any reason during the validity of the bid. Kindly provide undertaking of bid validity of 90 days from bid closing date. Bid validity below 90 days will be liable to be disqualified.	Date
Payment Terms	Payment Terms [LC / CAD/ Net 30 days] Only Net-30/CAD and LC payment terms shall be considered for award. INSTRUCTIONS FOR PROCESSING FOREIGN NET-30 / CAD PURCHASE ORDERS 1. Shipment to be made after establishment of contract confirmed by PPL. 2. Original documents comprising of invoice, packing list & AWB / BL. AWB / BL should be consigned in the name of bank from whom the bank contract issued; submit thru banking channel and advise us the tracking no. with details to m_riaz@ppl.com.pk & h_rizvi@ppl.com.pk. Original documents will be released to us for clearance after negotiation and release of your payment by bank. Scan copy of documents should also be forwarded to the email id's mentioned above. FOR LC Additional conditions for all LCs are attached for your review and acceptance.	Attachment
Review of all attachments	By accepting all attached documents it shall be considered that you have read and reviewed complete attachments (documents) thoroughly and accept our all terms & conditions, which are available in "Attachments => Visible to Suppliers"	Yes/No Value

Freight, FOB, etc. Charges	For Import : Quoted rates should be on CFR basis, upto Karachi Port (By Sea/ By Air). For Local (FOR) : Quoted rates should be inclusive of delivery of material at our West Wharf Stores, Karachi	Yes/No Value
Performance Guarantee (PG)	The Seller is required to provide at his own cost, a Performance Guarantee (text draft will be provided with purchase order) in the form of a Bank Guarantee issued by a PPL's approved bank equivalent to 10% of the total CFR Value of the Purchase Order, within ten(10) days of receipt of the Purchase Order (PO). The Seller shall extend the validity of the Bid Bond accordingly as required till submission of Performance Guarantee. This will serve to guarantee that the material is delivered as per schedule of requirement and the performance of the equipment ordered. The Performance Guarantee must remain valid for at least 18 months after the date of last shipment or 12 months after the commissioning of the equipment whichever is earlier. If Seller is unable to meet its obligations as per the tender / RFQ / Purchase Order, the Performance Guarantee may be required to be extended or otherwise encashed as per Company's discretion."	Yes/No Value
Liquidated Damages (LD)	The vendor shall be liable to pay the Company Liquidated Damages(LD) If delivery is effected beyond the delivery date referred in Purchase Order, value of invoice will automatically stand reduced at the rate of 1% of the original value per week to a maximum of 5% for the delayed period.	Yes/No Value
Order acknowledgment	In case of Purchase order if awarded, vendor must submit order acknowledgment on beneficiary's letterhead within seven (07) days of receipt of Purchase Order, failing which Company reserves the right to consider order cancellation without any liability	Yes/No Value
Bidder Agrees to all Terms and Conditions of ITB and supporting documents	Bidder must agree to all Terms and Conditions of ITB and supporting documents, otherwise bids may not be accepted.	Yes/No Value
Un-Priced copy of Bid Bond	Please attached Un-Priced copy of Bid Bond, if total bid value over Rs. 02 Million. Please note that bid submitted without bid money, if applicable, will not be entertained.	Attachment
Partial/ itemized split order	PPL reserves the right to award a partial/ itemized split order, increase/ decrease the quantity. The bidder should clearly specify if this condition is not acceptable. Otherwise, we will presume that partial/ split order is acceptable to the bidder.	Yes/No Value
Online bid will be considered	Please note that in case of discrepancy between physical bid (if submitted/attached) and bid submitted in e-Procurement, information/bid submitted online on e-Procurement will be taken as final.	Text
Manufacturer/OEM 's name	Please mention Manufacturer/ OEM name	Text
Beneficiary's name	Please mention Beneficiary's name	Text

COMMERCIAL ENVELOPE

General Attachments Allowed

TOTAL MATERIAL VALUE WITH SURCHARGES

Code	Description	Last PO No / Date / Item Remarks	Unit of Measurement	Quantity
	Freight, Handling/ Packaging/ Documentation & Inland Freight (Charges), if any.		LUMP SUM	1

LIST OF MATERIALS

Code	Description	Last PO No / Date / Item Remarks	Unit of Measurement	Quantity
------	-------------	----------------------------------	---------------------	----------

0010171652-99-00010	Material Number: 08-54-43297 KIT: TYPE: REPAIR APPLICATION: YZV 4004 (SLug Catcher Liquid Drain V/V) TEXT:Complete Repair Kit for 6" Actuated Ball Valve YZV-4004 (Slug Catcher Liquid Drain Line) Repair Kit Should include all the O-Rings, Seat Rings, Back Rings, Seat Washers, Springs, Gaskets etc. Details of Valve: Size: DN 150 Class: PN 100 Figure: G600-PN-71-224JMV-5 Serial No of Valve: 860815-1 Face to Face: 559 MOP 13.8 Bar @ 180 C & 102 Bar @ -29 C Body: A	- 00000 / 00-00-0000	EA	1
0010178060-99-00010	Material Number: 08-54-43929 PLUG,VALVE: VALVE STYLE: Globe Valve VALVE SIZE: 03 MATERIAL: AISI 316L+ALLOY 6 OPERATING TEMPERATURE: 260C APPLICATION: FCV-9111 TEXT:Plug SET ID Code: MA0239587 Part No: 002 Parent Equipment Part No: GB03FWAS1BS1AFCS1R3ASGGSDXAE1A Id Code: MA0239591 MANUFACTURER DETAILS: MFG: METSO NELES:GB03FWAS1BS1AFCS1R3ASGGSDXAE1A	- 00000 / 00-00-0000	EA	1
0010178060-99-00020	Material Number: 08-54-43930 RING: TYPE: Seat (Part 007) SIZE: 03 MATERIAL: AISI 316L+ALLOY 6 APPLICATION: FCV-9111 TEXT:Seat Ring ID Code: MA0239588 Part No: 007 Parent Equipment Part No: GB03FWAS1BS1AFCS1R3ASGGSDXAE1A Id Code: MA0239591 MANUFACTURER DETAILS: MFG: METSO NELES:GB03FWAS1BS1AFCS1R3ASGGSDXAE1A	- 00000 / 00-00-0000	EA	1
0010178060-99-00030	Material Number: 08-54-43931 SET: TYPE: Part# 063, 064, 065, 067, 069 APPLICATION: FCV-9111 TEXT:Set Contains: Seat Gasket ID Code: MA0139105 Seal Ring Id Code: MA0147459 Body gasket id Code: MA0139253 Packing Spacer id Code: MA0139099 Packing Ring id Code: MA0142062 Part No: 063, 064, 065, 067, 069 Parent Equipment Part No: GB03FWAS1BS1AFCS1R3ASGGSDXAE1A Id Code: MA0239591 MANUFACTURER DETAILS: MFG: METSO NELES:GB03FWAS1BS1AFCS1R3ASGGSDXAE1A	- 00000 / 00-00-0000	EA	1

<p>0010178060-99-00040</p> <p>Material Number: 08-54-43330</p> <p>GLAND: TYPE: ID-Code: MA0139082 MATERIAL: AISI 304 APPLICATION: SPARE PART OF PCV-2016A</p> <p>TEXT:Gland Part: 009A ID-Code: MA0139082 Material: AISI 304</p> <p>For Control Valve PCV-2016A S/N: GB04GWAJ2BT6ATCS1R6ASGGSGXAEFM Manufacturer: METSU NELES</p> <p>MANUFACTURER DETAILS: MFG: METSU NELES:ID-Code: MA0139082</p>	<p>4500104963 - EA 00030 / 30-09-2021</p>	<p>1</p>
<p>0010182121-99-00030</p> <p>Material Number: 08-99-28178</p> <p>RING: TYPE: SEAT</p> <p>TEXT:Seat ring, P/N: 2B5097X0012 for LCV- 2041 Parts for Control Valve Type D Size 1 ", Port Size; 1/4", S/N: 17052010</p>	<p>- 00000 / EA 00-00-0000</p>	<p>1</p>
<p>0010168612-99-00010</p> <p>Material Number: 08-99-28186</p> <p>PIN: TYPE: STEM APPLICATION: FOR CONTROL VALVE 6" X900</p> <p>TEXT:Stem Pin Part No: 1A-S-1160 for Control Valve 6" x900 Model: 1523h8L</p>	<p>- 00000 / EA 00-00-0000</p>	<p>1</p>
<p>0010180296-99-00010</p> <p>Material Number: 10-01-322</p> <p>KIT: TYPE: REPAIR</p> <p>MANUFACTURER DETAILS: MFG: BAKER EASTERN S.A:P/N: 08-00359-00</p>	<p>4500015227 - EA 00060 / 13-02-2007</p>	<p>2</p>
<p>0010180298-99-00010</p> <p>Material Number: 10-01-324</p> <p>KIT: TYPE: REPAIR APPLICATION: SURFACE SAFETY VALVE</p> <p>TEXT:PARENTAL EQUIPMENT DETAILS: SURFACE SAFETY VALVE</p> <p>MANUFACTURER DETAILS: MFG: UNKNOWN:P/N: 08-00366-00</p>	<p>4500015227 - EA 00070 / 13-02-2007</p>	<p>2</p>
<p>0010167195-99-00010</p> <p>Material Number: 10-02-14618</p> <p>CONVERTER: TYPE: DC - DC CONVERTER RATING: 50 WATT APPLICATION: SCADA WELL# 20,21 Spares</p> <p>TEXT:DC-DC CONVERTER, 2 4 VDC TO 12 VDC, INPUT: 24 VDC, OUTPUT: 12 VDC, RATING: 50 WATT, PART NO: VI-LC 11-EY COMPAC SERIES MAKE: VICOR</p>	<p>- 00000 / EA 00-00-0000</p>	<p>1</p>

<p>0010181272-99-00010</p> <p>Material Number: 08-49-050</p> <p>KIT:</p> <p>TYPE: BODY SEAL</p> <p>APPLICATION: PNEUMATIC ACTUATOR</p> <p>TEXT:PARENT EQUIPMENT DETAILS: SPARES FOR PNEUMATIC ACTUATOR FOR 2" BALL VALVE MODEL: CP/S-045-140C/C DESIGN OPERATING PRESSURE: 80 PSI MAXIMUM SAFE PRESSURE: 150 PSI TAG NUMBER: ESDV-10000</p> <p>MANUFACTURER DETAILS: MFG: ROTORK:P/N: WCB35</p>	<p>4500055976 - EA</p> <p>00040 /</p> <p>17-12-2013</p>	<p>1</p>
<p>0010171772-99-00010</p> <p>Material Number: 10-01-404</p> <p>SWITCH,PRESSURE:</p> <p>ELECTRICAL RATING: 24VDC 5A</p> <p>SIZE/CONNECTION: 1/4" NPT</p> <p>RANGE: 9-35 PSI,600 PSI MWP,1000 PSI PROOF</p> <p>ACTION: SPDT</p> <p>ENCLOSURE: NEMA 4X,EP</p> <p>EXD CLASS: CLASS I GROUP C & D,CLASS II GROUP E ,F,G</p> <p>TEXT:UL LISTED AND CSA CERTIFIED TEMPERATURE:AMB. -50 ----- +95 DEGREE C</p> <p>MANUFACTURER DETAILS: MFG: UNITED ELECTRIC CONTROL, INC:M/N: 12SHSN6A MFG: UNITED ELECTRIC CONTROL, INC:M/N: 12 SERIES</p>	<p>4500097427 - EA</p> <p>00040 /</p> <p>14-04-2020</p>	<p>1</p>
<p>0010162756-99-00010</p> <p>Material Number: 10-02-033</p> <p>BATTERY,STORAGE:</p> <p>TYPE: LEAD ACID</p> <p>VOLTAGE: NOM 2</p> <p>AMP HOURS: 853</p> <p>APPLICATION: PV</p> <p>TEXT:SEALED, 853 AH @ C144, C/W: CONNECTORS,</p> <p>MANUFACTURER DETAILS: MFG: VARTA:M/N: 60PZV600 MFG: SIEMENS AG, GERMANY:*</p>	<p>4500061229 - EA</p> <p>00010 /</p> <p>22-09-2014</p>	<p>2</p>
<p>0010179045-99-00010</p> <p>Material Number: 10-02-33730</p> <p>CONVERTER:</p> <p>TYPE: DC to DC Converter</p> <p>APPLICATION: For Nodal Compressor PLC Panel</p> <p>TEXT:Industrial Quality DC/DC Converter 500W, 48-24 VDC / 20A Input Protection: Inrush current limiting, Varistor, Reverse polarity protection, Internal safety fuse, Lower voltage. Line/Load Regulation: ± 1% combined from zero load to full load Part Number: BAP 319-48/24F4TS-EN-T1965 Make: ABSOPULSE Electronics Ltd</p>	<p>4500103659 - EA</p> <p>00010 /</p> <p>12-09-2021</p>	<p>1</p>
<p>0010180760-99-00010</p> <p>Material Number: 08-54-265</p> <p>KIT:</p> <p>TYPE: REPAIR/SPARE PART</p> <p>APPLICATION: SHUTDOWN VALVE ACTUATOR</p> <p>CONTAINS A: O-RING POSITION NO. 16 ID CODE: 2626, O- RING POSITION NO. 17 ID CODE: 230107</p> <p>CONTAINS B: O-RING POSITION NO. 19 ID CODE: 4413, BEARING STRIP POSITION NO. 23 ID CODE: 230110</p> <p>CONTAINS C: BEARING STRIP POSITION NO. 22 ID CODE: 230111, PISTON RING POSITION NO. 24 ID CODE: 3844</p> <p>CONTAINS D: O-RING POSITION NO. 18 ID CODE: 4413</p> <p>CONTAINS E: BEARING POSITION NO.</p>	<p>4500052643 - KIT</p> <p>00020 /</p> <p>03-06-2013</p>	<p>2</p>

0010184897-99-00010	Material Number: 10-01-191 CAP: TYPE: HYDRAULIC APPLICATION: PUMP TEXT:PARENT EQUIPMENT DETAILS: SPARES FOR BAKER CAC SURFACE SAFETY CONTROL EQPT.FOR HASKEL PUMP P/N. MS-71 MANUFACTURER DETAILS: MFG: BAKER:P/N: 28530-71	4500053412 - 00040 / 15-07-2013	EA	1
0010159615-99-00010	Material Number: 10-01-546 SPRING, VALVE: APPLICATION: PNEUMATIC CONTROL VALVE TEXT:SPARES FOR PNEUMATIC CONTROL VALVE (PIPED VENT PORTED) MANUFACTURER DETAILS: MFG: PNEUHYDRO:P/N: 433613-V	4500073131 - 00130 / 15-06-2016	EA	2
0010181372-99-00010	Material Number: 10-01-278 Regulator, Part NO.R05-200-RNLA.	4500068111 - 00100 / 28-09-2015	EA	4
0010180561-99-00010	Material Number: 10-01-491 O-RING: MATERIAL: VITON APPLICATION: BAKER PNEUMATIC ACTUATOR MANUFACTURER DETAILS: MFG: UNKNOWN:P/N: 592980-007	4500054059 - 00020 / 30-08-2013	EA	4
0010178948-99-00010	Material Number: 08-33-222 ASSEMBLY: TYPE: BODY AND SEAT BUSHING;PART LIST SR.NO. 1&2: P/No 70 13 34395 SIZE: SIZE; 80/100 ANSI 300/150 RF FLANGED SPRING SEATTING: 33 BAR,STEAM DRUM SAFETY VALVE,TYPE: 1811-M/ AFIMATR 77806/95,FOR B OILER NO. 14/15	4500100016 - 00020 / 07-10-2020	EA	1
0010178719-99-00010	Material Number: 10-01-988 MODEM: TYPE: INTEGRATED WIRELESS POWER: 12VDC TEXT:REMOTE RADIO FOR 150-174 MHZ VHF BAND COMPLETE MANUFACTURER DETAILS: MFG: UNKNOWN:P/N: 242-4018-630	4500082825 - 00020 / 15-01-2018	EA	1
0010171870-99-00010	Material Number: 10-01-970 MODEM:INTEGRATED WIRELESS,MASTER RADIO 150-174MHZ VHF BONET,COMPLETE W/ AC/DC POWER SUPPLY & DC/DC CONVERTER MANUFACTURER DETAILS: MFG: UNKNOWN:P/N: PCE 984258C	4500082825 - 00010 / 15-01-2018	EA	1
0010165595-99-00010	Material Number: 10-02-33727 BREAKER,CIRCUIT: TYPE: MCB IEC/IEEE STANDARDS: For Nodal Compressor PLC Panel TEXT:Multi 9 C60H-DC MCD 2P D Curve 20A 500VDC-10KA Part Number: M9U31220	- 00000 / 00-00-0000	EA	4

Section total included in total?

Yes

CONFIRM FOLLOWING AS PROVIDED IN THE BID

Question	Description	Question Type
Bid/ Price Validity	The bid must be valid for a period of at least 120 Days from the last date of submission of bids. No price escalation will be permitted for any reason during the validity of the bid. Kindly provide undertaking of bid validity of 120 (one hundred and twenty) days from bid closing date. Bid validity below 120 days will be liable to be disqualified.	Date
Payment Terms	Payment Terms [LC / CAD/ Net 30 days] Only Net-30/CAD and LC payment terms shall be considered for award.	Attachment
	INSTRUCTIONS FOR PROCESSING FOREIGN NET-30 / CAD PURCHASE ORDERS 1. Shipment to be made after establishment of contract confirmed by PPL. 2. Original documents comprising of invoice, packing list & AWB / BL. AWB / BL should be consigned in the name of bank from whom the bank contract issued; submit thru banking channel and advise us the tracking no. with details to m_riaz@ppl.com.pk & h_rizvi@ppl.com.pk. Original documents will be released to us for clearance after negotiation and release of your payment by bank. Scan copy of documents should also be forwarded to the email id's mentioned above.	
	FOR LC Additional conditions for all LCs are attached for your review and acceptance.	
Delivery Period	Delivery Period	Text
Delivery/ Inctoterm Terms	Delivery Terms	Text
Country of Origin	Country of Origin	Text
Port of Shipment	Port of Shipment	Text
Free time for foreign shipments	Kindly confirm/ allow time:- Pipes / Casing / Tubing & Pup joints - 14 days free time at destination port to be provided. Wellhead / Downhole - 07 days free time at destination port to be provided. Plant Spares - 05 days free time at destination port to be provided.	Yes/No Value
Freight, FOB, etc. Charges	For Import : Quoted rates should be on CFR basis, upto Karachi Port (By Sea/ By Air). For Local (FOR) : Quoted rates should be inclusive of delivery of material at our West Wharf Stores, Karachi	Yes/No Value
Quoted rates	The rates submitted by bidder shall be firm and final & no change in quoted rates or escalation will be acceptable during the validity and entire contract period. Rates must be inclusive of all applicable taxes, out of pocket cost and other associated costs with all respects except applicable Provisional Services (SST) / Federal Taxes (GST), which need to be appeared as a separate break-up by mentioning relevant applicable tax percentage. Rates should be quoted accordingly as per given format and scope of work, no other hidden/additional cost will be charged/billed	Yes/No Value
Copy of Bid Bond	Please attached copy of Bid Bond, if total value of bid over Rs. 02 Million	Attachment
Evaluation of Bids	All bids shall be evaluated in accordance with the evaluation criteria/ Specifications and other terms and conditions of the attached ITB.	Text

Commercial Evaluation

The Work Contract / Purchase Order will be awarded to the lowest evaluated bidder(s) declared on the basis of quoted rates on net cost basis i.e. exclusive of any cost recoverable to the Company.